



# INTERNATIONAL GEMOLOGICAL INSTITUTE

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING OF DIAMOND AND COLORED STONES  
EDUCATIONAL PROGRAMS

Expertise issued under license of IGI Antwerp  
1/7 Schupstraat, 2018 Antwerp - Belgium  
Tel. +32 3 401 08 88 - Fax +32 3 232 07 58  
Email : info@igi.org  
www.igi.org  
igiworldwide.com

**ELECTRONIC COPY**

## LABORATORY GROWN DIAMOND REPORT

This report is a statement of the diamond's identity and grade including all relevant information.

NUMBER **LG\_301746212**

ANTWERP, January 22, 2018

**LABORATORY REPORT (ORIGINAL)**

TO WHOM IT MAY CONCERN.

DESCRIPTION  
SHAPE AND CUT  
  
CARAT WEIGHT  
COLOR GRADE  
CLARITY GRADE  
CUT GRADE

LABORATORY GROWN DIAMOND  
ROUND BRILLIANT  
  
**1.04 CARAT**  
**J**  
**SI 2**  
**EXCELLENT**

POLISH  
SYMMETRY

EXCELLENT  
EXCELLENT

Measurements

6.50 - 6.51 x 4.01 mm

Table Size

58.5%

Crown Height - Angle

14.5% - 35.1°

Pavilion Depth - Angle

43.5% - 41.1°

Girdle Thickness

MEDIUM (FACETED)

Culet

POINTED

Total Depth

61.7%

FLUORESCENCE

NONE


COMMENTS

IDEAL CUT ROUND BRILLIANT  
This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa.

LASERSCRIBE

LABORATORY GROWN  
IGI LG\_301746212

The symbols do not usually reflect the size of the characteristics.  
**Red symbols indicate internal characteristics.**  
**Green symbols indicate external characteristics.**



insignificant external details, visible under high magnification only, are not shown



0-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



CLARITY GRADE: Internally Flawless VVS<sub>1</sub> VVS<sub>2</sub> VS<sub>1</sub> VS<sub>2</sub> SI<sub>1</sub> SI<sub>2</sub> I<sub>1</sub> I<sub>2</sub> I<sub>3</sub>

COLOR GRADE: D E F G H I J K L M N O P Q R S-Z FANCY COLOR

PROPORTIONS - MARGIN: ± 1%

MEASUREMENTS - MARGIN: ± 0.02mm

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight.

**THIS REPORT IS NEITHER A GUARANTEE, VALUATION NOR APPRAISAL OF THE LABORATORY GROWN DIAMOND DESCRIBED HEREIN**

**This report is subject to the terms and conditions set forth above and on reverse.**

© IGI, 2000, edition 2017

All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.