

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING OF DIAMOND AND COLORED STONES **EDUCATIONAL PROGRAMS**

ELECTRONIC COPY

Expertise issued under license of IGI Antwerp

1/7 Schupstraat, 2018 Antwerp - Belgium Tel. +32 3 401 08 88 - Fax +32 3 232 07 58 Email: info@igi.org www.igi.org

LABORATORY GROWN DIAMOND REPORT

This report is a statement of the diamond's identity and grade including all relevant information.

NUMBER LG 332878237

ANTWERP, August 10, 2018

LABORATORY REPORT (ORIGINAL)

LABORATORY GROWN DIAMOND


TO WHOM IT MAY CONCERN.


DESCRIPTION SHAPE AND CUT **CARAT WEIGHT** Measurements **CLARITY GRADE COLOR GRADE** Fluorescence

OVAL BRILLIANT 0.31 CARAT 5.18 x 3.66 x 2.29 mm VVS 2 E NONE **FINISH** GOOD Polish - Symmetry **Proportions VERY GOOD** Table Size 64.5% Crown Height - Angle 12.5% - 34.7° Pavilion Depth - Angle 44% - 42.6° Girdle Thickness MEDIUM TO VERY THICK (FACETED) Culet **MEDIUM**

COMMENTS This laboratory grown diamond is classified as Type II **LASERSCRIBE** LABORATORY GROWN IGI LG_332878237

The symbols do not usually reflect the size of the characteristics. Red symbols indicate internal characteristics. Green symbols indicate external characteristics.





insignificant external details, visible under high magnification only, are not shown



O-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



CLARITY GRADE Internally Flawless VS₁ 11 COLOR GRADE: M 0 S-Z FANCY COLOR

PROPORTIONS - MARGIN: ± 1% MEASUREMENTS - MARGIN: ± 0.02mm

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI), Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FIIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationable accretional control of the contr

this report is neither a guarantee, valuation nor appraisal of the Laboratory grown diamond described Herein This report is subject to the terms and conditions set forth above and on reverse.

All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International