

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING
OF DIAMOND AND COLORED STONES
EDUCATIONAL PROGRAMS

**ELECTRONIC COPY** 

**Expertise issued under license of IGI Antwerp** 

1/7 Schupstraat, 2018 Antwerp - Belgium Tel. +32 3 401 08 88 - Fax +32 3 232 07 58 Email : info@igi.org www.igi.org

## LABORATORY GROWN DIAMOND REPORT

This report is a statement of the diamond's identity and grade including all relevant information.

NUMBER LG\_332878240

ANTWERP, August 10, 2018

LABORATORY REPORT (ORIGINAL)

TO WHOM IT MAY CONCERN.

DESCRIPTION
SHAPE AND CUT
CARAT WEIGHT
Measurements
CLARITY GRADE
COLOR GRADE
Fluorescence

Polish - Symmetry
Proportions

Table Size
Crown Height
Pavilion Depth
Girdle Thickness
Culet

**FINISH** 

COMMENTS LASERSCRIBE LABORATORY GROWN DIAMOND
OVAL BRILLIANT
0.41 CARAT
5.33 x 4.23 x 2.54 mm
VVS 1
D
NONE
GOOD
VERY GOOD
68%
12.5%
39.5%
THICK TO VERY THICK (FACETED)
POINTED


This laboratory grown diamond is classified as Type II LABORATORY GROWN IGI LG 332878240

The symbols do not usually reflect the size of the characteristics.

Red symbols indicate internal characteristics.

Green symbols indicate external characteristics.





insignificant **external** details, visible under high magnification only, are not shown



O-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



CLARITY GRADE:	PRADE: Internally Flawless			ess	VVS <sub>1</sub>			vvs <sub>2</sub>		VS1	VS	vs <sub>2</sub>		S	2	l <sub>1</sub>	12	l <sub>3</sub>
COLOR GRADE:	D	Е	F	G	Н	İ	J	K	Ĺ	М	N	0	Р	Q	R	S-Z	FANCY CO	DLOR

PROPORTIONS - MARGIN: ± 1%
MEASUREMENTS - MARGIN: ± 0.02mm

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI), Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FIIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationable accretional control of the contr

This report is subject to the terms and conditions set forth above and on reverse.

© IGI, 2000, edition 2017

All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.