

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING
OF DIAMOND AND COLORED STONES
EDUCATIONAL PROGRAMS

ELECTRONIC COPY

Expertise issued under license of IGI Antwerp

1/7 Schupstraat, 2018 Antwerp - Belgium Tel. +32 3 401 08 88 - Fax +32 3 232 07 58 Email : info@igi.org www.igi.org

LABORATORY GROWN DIAMOND REPORT

This report is a statement of the diamond's identity and grade including all relevant information.

NUMBER LG 332878927

ANTWERP, August 14, 2018

LABORATORY REPORT (ORIGINAL)

TO WHOM IT MAY CONCERN.

DESCRIPTION
SHAPE AND CUT
CARAT WEIGHT
Measurements
CLARITY GRADE
COLOR GRADE
Fluorescence

Polish - Symmetry Proportions

FINISH

Table Size
Crown Height
Pavilion Depth
Girdle Thickness

COMMENTS LASERSCRIBE

Culet

LABORATORY GROWN DIAMOND
OVAL BRILLIANT
0.36 CARAT
5.12 x 4.15 x 2.45 mm
VS 2
D
NONE
GOOD
GOOD
67%
10.5%
40%
THICK TO VERY THICK (FACETED)
MEDIUM


This laboratory grown diamond is classified as Type II LABORATORY GROWN IGI LG 332878927

The symbols do not usually reflect the size of the characteristics.

Red symbols indicate internal characteristics.

Green symbols indicate external characteristics.





insignificant **external** details, visible under high magnification only, are not shown



O-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



CLARITY GRADE:	In	Internally Flawless				VS ₁		vvs ₂		VS ₁		vs ₂		SI ₁ S		lη		l ₂	13
COLOR GRADE :	D	E	F	G	Н	ï	J	K	Ĺ	М	N	0	Р	9	R	S - 7	' FA	ANCY CO	OLOR

PROPORTIONS - MARGIN: ± 1%
MEASUREMENTS - MARGIN: ± 0.02mm

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI), Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FIIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationable accretional control of the contr

This report is subject to the terms and conditions set forth above and on reverse.

© IGI, 2000, edition 2017

(a) Idea (b) 2000, estimate 2017.

All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.